

- QUALITY
- SERVICE
- RELIABILITY

PROJAHN

AUTUMN/WINTER 2021/2022


COMPETENCE IN PRECISION TOOLS AND HAND TOOLS



SABRE SAW BLADES
can be found on page 14



UNIVERSAL TOOLBOX
can be found on page 19



BIT-BOX
can be found on page 24

PROFESSIONAL PLUS STANDARD

Rotary hammer drill bits with 4 cutting edges



ROCKET 5

► Special shaped drill head with 5 crushers sets new standards in terms of lifetime

Especially for reinforced concrete

Highest precision

- 5 crushers allow drilling of precise holes
- Low vibration while working

Perfect suitable for reinforcements

- Protection against reinforcement prevents jamming
- Wear marks for the proof of dowel-compatible holes

Extremely durable

- 4-flute geometry increases lifetime
- Evenly spread wear

Range of application



Reinforced concrete



Concrete



Masonry



Natural stone

Characteristics



Durable



Precise



Powerful



Low vibration

Shank

- Available in SDS-plus and SDS-max

Rotary hammer drill bit set

Ø 6 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm

5 pcs. in plastic case

83046



**5
PIECES**

Rotary hammer drill bit set

Ø 6 - 8 - 10 x 160 mm

3 pieces in X-Pack

99954



**3
PIECES**

SDS-plus

5-pack with hanger

**5
PIECES**

Ø mm	L1 mm	L2 mm	Art.-No.
6.0	110	50	83 06 110 45
8.0	210	150	83 08 210 45
10.0	210	150	83 10 210 45
12.0	210	160	83 12 210 45
14.0	210	160	83 14 210 45

10-pack with hanger

**10
PIECES**

Ø mm	L1 mm	L2 mm	Art.-No.
6.0	160	100	83 06 160 410
8.0	160	100	83 08 160 410
10.0	160	100	83 10 160 410
12.0	160	110	83 12 160 410
14.0	160	110	83 14 160 410

**in high-quality
MAMBO-Box**


83744

#005

Rotary hammer drill bit set

Ø 5 - 6 - 8 x 110 mm
Ø 6 - 8 -
10 - 12 x 160 mm

**7
PIECES**





PROFESSIONAL PLUS STANDARD

Rotary hammer drill bits with 4 cutting edges

ROCKET 5



SDS-max



Single packaging with hanger

Single packaging with hanger

Ø mm	L1 mm	L2 mm	Art.-No.
14.0	540	400	814 540
16.0	340	200	816 340
16.0	540	400	816 540
18.0	340	200	818 340
18.0	540	400	818 540


Ø mm	L1 mm	L2 mm	Art.-No.
20.0	520	400	820 520
22.0	520	400	822 520
24.0	520	400	824 520
25.0	520	400	825 520
28.0	570	450	828 570

ROCKET 5 stop drill bits

Perfect for
mounting cable routes
and water pipes



For setting impact
anchors



SDS-plus

Single packaging with hanger

Ø mm	L1 mm	L2 mm	For anchor size	Art.-No.
8.0	113	27	M6/ 25mm	8 308 277
8.0	119	33	M6/ 30mm	8 308 337
10.0	119	27	M8/ 25mm	8 310 277
10.0	119	33	M8/ 30mm	8 310 337
10.0	130	44	M8/ 40mm	8 310 447
12.0	122	27	M10/ 25mm	8 312 277
12.0	133	44	M10/ 40mm	8 312 447
15.0	122	27	M12/ 25mm	8 315 277
15.0	144	55	M12/ 50mm	8 315 557

NEW

PRECISION

- For drilling holes of continuously constant depth
- No slipping of the depth stop on the drill
- No complicated handling with tape on the drill bit


SPEED

- Great speed advantage compared to standard drills
- No careful approach with the depth stop of the drill or the adhesive tape marking on the drill

APPLICATIONS

- Ventilation systems, cable routing, water pipes, heating pipes, cladding, securing of scaffolds, lowering ceilings, fixing of railings or pipes, etc.

Ideal for use with ventilation and
air conditioning systems



10
PIECES

10-pack

Ø mm	L1 mm	L2 mm	For anchor size	Art.-No.
8.0	113	27	M6/ 25mm	830 827 710
10.0	119	33	M8/ 30mm	831 033 710
12.0	133	44	M10/ 40mm	831 244 710
15.0	144	55	M12/ 50mm	831 555 710

Rotary hammer drill bits with 2 cutting edges

ROCKET 3

- Demolition effect for highly effective destruction of the material

**Maximum
drilling speed**

Maximum speed

- 3 crushers achieve a maximum of drilling speed
- At least 20 % time saving compared to similar products

Simple handling

- Wear marks for the proof of dowel-compatible holes
- Pilot drill for accurate drilling without slipping off
- Patent pending for innovative drill tip geometry

Long lifetime

- Broad spiral back
- Core reinforced flute
- Extra large volume spiral

Range of application



Concrete



Masonry



Natural stone

Characteristics



Fast



Precise



Powerful



Low vibration

Shank

- Available in SDS-plus



Rotary hammer drill bit set

Ø 6 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm
5 pcs. in plastic case

83045



**5
PIECES**

**10
PIECES**

10-pack with hanger

Ø mm	L1 mm	L2 mm	Art.-No.
6.0	110	50	83 06 110 10
6.0	160	100	83 06 160 10
8.0	110	50	83 08 110 10
8.0	160	100	83 08 160 10
8.0	210	150	83 08 210 10
8.0	260	200	83 08 260 10
10.0	160	100	83 10 160 10
12.0	160	110	83 12 166 10
14.0	210	160	83 14 216 10

**50
PIECES**

50-pack


Ø mm	L1 mm	L2 mm	Art.-No.
5.0	110	50	83 05 110 5
6.0	110	50	83 06 110 5
6.0	160	100	83 06 160 5
8.0	160	100	83 08 160 5
10.0	160	100	83 10 160 5

**in high-quality
MAMBO-Box**

Rotary hammer drill bit set

Ø 5 - 6 - 8 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm

83730



**7
PIECES**



Diamond drill bits with self-cooling

Ideal for extreme hard tiles, ceramics and porcelain stoneware

- Wax filling inside the drill bits
 - Self-cooling, as the wax liquefies during drilling
 - Fast drilling progress and long life
 - No contamination by coolant

- Two different shank versions available
 - Hexagonal shank for 3-jaw chuck
 - M14 threaded shank for angle grinder
- For rotating use only - no impact drilling!



**3
PIECES**

Diamond drill bit set

Ø 6 - 8 - 10 mm

3 pieces in MAMBO-Box "S"



59801



**4
PIECES**


Diamond drill bit set

Ø 6 - 8 - 10 - 12 mm

4 pieces in MAMBO-Box "S"



59802



**7
PIECES**

Diamond drill bit set 3-in-1

Diamond drill bits with self-cooling

Ø 6 - 8 - 10 mm

Concrete drill bit

Ø 6 - 8 - 10 mm


Centering aid

for Ø 4 - 6 - 8 - 10 - 12 mm

7 pieces in MAMBO box



59803



**9
PIECES**

Diamond drill bit set 2-in-1

Diamond drill bits with self-cooling

Ø 6 - 8 - 10 - 14 mm

Concrete drill bit

Ø 6 - 8 - 10 - 14 mm

Adapter from hex shank to M14 threaded shank

9 pieces in MAMBO box



59401

Adapter from hex shank to M14 threaded shank

To use the diamond drill bit with M14 threaded shank in a 3-jaw chuck

Diamond drill bits with self-cooling

Single packaging with hanger



59499



hex shank		M14 threaded shank	
Ø mm	Art.-No.	Ø mm	Art.-No.
6.0	59 806	6.0	59 406
8.0	59 808	8.0	59 408
10.0	59 810	10.0	59 410
12.0	59 812	12.0	59 412

PROFESSIONAL PLUS STANDARD

Multi purpose drill bits

- ▶ Extra sharp carbide tip for precise drilling in various materials
- ▶ Designed to drill: Masonry, tiles, wood, plastic, metal and material combinations
- ▶ High flute volume for fast transport of drilling dust and chips
- ▶ For rotating use only - no impact drilling!

NEW



57603

**4
PIECES**

with straight shank


Ø 6.0 x 200/150 mm
Ø 6.0 x 300/220 mm
Ø 6.5 x 200/150 mm
Ø 6.5 x 300/220 mm

4 pcs. in Plastic Case

For setting window frame screws

Ideal for window fitters

For composite materials
without changing tools



with straight shank

5 pcs. in
plastic case

57601

**5
PIECES**

Single packaging with hanger

Ø mm	L1 mm	L2 mm	Art.-No.
3.0	70	40	576 030 070
4.0	75	40	576 040 085
5.0	85	50	576 050 085
5.5	85	50	576 055 085
6.0	100	60	576 060 100
6.0	200	150	576 060 200
6.0	300	220	576 060 300
6.5	200	150	576 065 200
6.5	300	220	576 065 300
8.0	120	80	576 080 120
8.0	200	150	576 080 200
10.0	120	80	576 100 120
10.0	200	150	576 100 200
12.0	150	90	576 120 150

PROFESSIONAL PLUS STANDARD

SuperSchlag masonry drill bit set



Cylindrical shank with
3-surface grinding
Ø 5 - 6 - 8 - 10 mm
4 pieces in plastic case

57502



**4
PIECES**

PROFESSIONAL PLUS STANDARD

Masonry drill bit set



**8
PIECES**



6.35 mm [1/4"]
hexagonal socket
Ø 3 - 4 - 5 - 6 - 7 - 8 -
9 - 10 mm
8 pcs. in sheet steel Kit



50301



PROFESSIONAL PLUS STANDARD

CRYSTAL glass drill bit set

- ▶ With special carbide tip and straight shank
- ▶ Reduced rotation speed (rpm) and sufficient cooling (water, terpentin, vinaigre, paraffin) improve the drilling result
- ▶ Designed to drill: Glass, Tiles, Ceramic, Mirror Glass and Porcelain
- ▶ For rotating use only - no impact drilling!



with straight shank

Ø 6 - 6 - 8 - 8 - 10 mm

5 pcs. in plastic case

59001

NEW



**5
PIECES**

PROFESSIONAL PLUS STANDARD

Chisels ECO



Set SDS-plus 250 mm

Pointed chisel 250 mm 99956
Flat chisel 250 x 20 mm
Spade chisel 250 x 40 mm

3 pcs. in plastic case

**3
PIECES**

Set SDS-max 400 mm

Pointed chisel 400 mm 844002
Flat chisel 400 x 25 mm
Spade chisel 400 x 50 mm

3 pcs. in plastic case

**3
PIECES**

Bulk packs



SDS-plus

**10
PIECES**

Description	L	W	pcs./ PU	Art.-No.
Pointed chisel	250		10	84 106 250 210
Flat chisel	250	20	10	84 206 250 210
Spade chisel	250	40	10	84 406 250 210



SDS-max

**10
PIECES**

Description	L	W	pcs./ PU	Art.-No.
Pointed chisel	400		10	84 170 400 210
Flat chisel	400	20	10	84 270 400 210
Spade chisel	400	40	10	84 470 400 210

PROFESSIONAL PLUS STANDARD

Hammer drill bits and chisel set ECO SDS-plus



12 hammer drill bits

Ø 5 - 6 - 8 - 10 x 110 mm
Ø 6 - 8 - 10 - 12 x 160 mm
Ø 8 - 10 x 210 mm
Ø 12 - 14 x 260 mm

2 pointed chisels

Length 250 mm
Length 140 mm

2 flat chisels

250 mm x 20 mm
140 mm x 20 mm

1 spade chisel

250 mm x 40 mm

17 pcs.
in sheet steel kit

99982

**17
PIECES**



PROFESSIONAL PLUS STANDARD

Floor cleaning tool



- ▶ Ideal to remove residue of e.g. carpet or cork flooring from the floor

Description	L mm	W mm	Art.-No.
Floor cleaning tool	635	152	84 970 630
Replacement plate	175	152	84 970 001

PROFESSIONAL PLUS STANDARD

Twist drill bit sets DIN 338 in MAMBO-Box

HSS-G **TURBO**

Highest speed

- Special point thinning Form A provides an enormous speed
- Material: HSS, Grinding: Angle 118°
- Immediate centering without center-punch
- Designed to drill steel up to 900 N/mm², cast iron, graphite, bronze, tough brass and aluminium



Ø 1 - 10 / 0.5 mm increasing

67314

19
PIECES

Ø 1 - 13 / 0.5 mm increasing

67374

25
PIECES



67374 / 67314 Image similar

HSS-G **PROgresso**

Free hand specialist

- Universal, very stable drill bit for all standard applications
- Material: HSS, Grinding: Angle 130°, Point thinning: Cross-ground finish Form C
- High resistance due to 2-step amplified web taper
- Designed to drill steel and Cast iron up to 1,000 N/mm²
- Conditionally applicable for V2A and V4A



Ø 1 - 10 / 0.5 mm increasing

60021

19
PIECES

Ø 1 - 13 / 0.5 mm increasing

60022

25
PIECES



60022 / 60021 Image similar

HSS-Co 5% **SPEED**

Stainless steel specialist

- High accuracy and breakaging resistance due to strong drill core
- Material: HSS-Co 5 %, Grinding: Tapered finish 130°, Web thinning: Cross-ground finish Form C
- For steel up to 1,100 N/mm², stainless steel, brass and bronze



Ø 1 - 10 / 0.5 mm increasing

67380

19
PIECES

Ø 1 - 13 / 0.5 mm increasing

67385

25
PIECES



67385 / 67380 Image similar

HSS-Co 8% **Heavy Duty**

For hardest applications

- Very robust drill bit with remarkable heat resistance
- Material: HSS-Co 8 %, Grinding: Tapered finish 135°, Web thinning: Cross-ground finish Form C
- For wear-resistant sheet metal, steel and bronze up to 1,400 N/mm², CrNi based alloy as well as acid and heat resistant steel



Ø 1 - 10 / 0.5 mm increasing

60023

19
PIECES

Ø 1 - 13 / 0.5 mm increasing

60024

25
PIECES



60024 / 60023 Image similar



PROFESSIONAL PLUS STANDARD

Carbide burrs set

Head Ø 9.6 mm - shank Ø 6.0 mm

- Form B** cylinder with spur teeth
- Form C** cylinder roller
- Form E** oval shape
- Form G** pointed arch

Head Ø 12.7 mm - shank Ø 6.0 mm

- Form X** multi-edge milling cutter



70297



PROFESSIONAL PLUS STANDARD

Twist drill bit sets DIN 338 type N BASIC

- ▶ Twist drill bit according to DIN 338 type N with straight shank
- ▶ Short version, profile ground
- ▶ 135° split point from Ø 3 mm

HSS-G



Ø 1 - 10 / 0.5 mm increasing
60318

**19
PIECES**

Ø 1 - 13 / 0.5 mm increasing
60378

**25
PIECES**



60318 / 60378 Image similar

HSS-Co 5%



Ø 1 - 10 / 0.5 mm increasing
60319

**19
PIECES**

Ø 1 - 13 / 0.5 mm increasing
60379

**25
PIECES**




60319 / 60379 Image similar



**170
PIECES**

10x Ø 1 - 8 / 0.5 mm increasing
5x Ø 8.5 - 10 / 0.5 mm increasing

60616



**170
PIECES**

10x Ø 1 - 8 / 0.5 mm increasing
5x Ø 8.5 - 10 / 0.5 mm increasing

60617

PROFESSIONAL PLUS STANDARD

Thread cutting tools

7 short machine taps HSS-G DIN 352

for machine and hand use

M3 - M4 - M5 - M6 - M8 - M10 - M12


7 core hole drill bits HSS-G DIN 338

Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm

1 tap wrench no. 1 1/2

15 pcs. in sheet steel kit

91013



in sheet steel kit



15
PIECES

Thread bundle

consisting of 910135 + 91015

99980

23
PIECES

15
PIECES

8
PIECES



in plastic case



Circular Dies Set

7 circular dies HSS-G DIN 13

M3 - M4 - M5 - M6 - M8 - M10 - M12

1 die holder 25 x 9 mm

8 pcs. in high-quality MAMBO box "S"

91015

Content similar to 91013

15 pcs. in plastic ABS case

910135

Combined machine drill taps set

HSS-G

Drilling core holes, thread cutting and deburring with only one tool

Ø 3 - 4 - 5 - 6 - 8 - 10 mm

M3 - M4 - M5 - M6 - M8 - M10

1 bit holder

7 pcs. in sheet steel kit


91019



7
PIECES




- 1 Drilling core hole
- 2 Thread cutting
- 3 Deburring





PROFESSIONAL PLUS STANDARD

Thread cutting tools



44
PIECES

33 hand taps HSS DIN 352

1 set each (pre, medium and finish cutter)

M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20

11 circular dies HSS-G DIN EN 22568

M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20

6 die holders

20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm

2 tap wrenches No. 1 1/2 + 3

1 screwdriver 91508

1 screw pitch gauge (Art.-No. 915091)

1 tool holder with ratchet (Art.-No. 913011)

55 pcs. in the metal magazine

91005

21 hand taps HSS DIN 352

1 set each (pre, medium and finish cutter)

M3 - M4 - M5 - M6 - M8 - M10 - M12

7 circular dies DIN EN 22568

M3 - M4 - M5 - M6 - M8 - M10 - M12

7 core hole drill bits HSS-G DIN 338

Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm

5 die stocks

20x5 - 20x7 - 25x9 - 30x11 - 38x14 mm

2 tap wrenches No. 1 + 2

1 screwdriver 91508

1 screw pitch gauge (Art.-No. 915091)

44 pcs. in the metal magazine

91004



55
PIECES

21 hand taps HSS DIN 352

1 set each (pre, medium and finish cutter)

M3 - M4 - M5 - M6 - M8 - M10 - M12

7 circular dies DIN EN 22568

M3 - M4 - M5 - M6 - M8 - M10 - M12

7 core hole drill bits HSS-G DIN 338

Ø 2.5 - 3.3 - 4.2 - 5 - 6.8 - 8.5 - 10.2 mm

5 die stocks

5 extensions

20x5 - 20x7 - 25x9 - 30x11 - 38x14 mm

2.7 (M3) - 3.4 (M4) - 4.9 (M5-8) - 5.5 (M9-10) - 7.0 (M12)

2 tap wrenches No. 1 + 2

2 tool holders size 1 + 2

1 screwdriver 91508

1 screw pitch gauge (Art.-No. 915091)

51 pcs. in a plastic case

91008




51
PIECES

PROFESSIONAL PLUS STANDARD

Step drill with spiral groove – set

- ▶ Sharp drill bit tip, predrilling not necessary, burr free and vibration free drilling.
- ▶ High running smoothness and superior cutting performance
- ▶ Spiral flute characteristic, effected longer tool life
- ▶ Tapered cutting edges of the next drill step can be used for deburring (simultaneously) or chamfering of the finished bore at the same time

Size 1 Ø 4 - 12 mm | Size 2 Ø 6 - 20 mm | Size 3 Ø 6 - 30 mm
incl. cutting paste



HSS-G
76811


**4
PIECES**

HSS-Co 5%
76911



PROFESSIONAL PLUS STANDARD

Outer reamer



- ▶ Perfect for various materials such as stainless steel, metal, non-ferrous metal and plastic
- ▶ Fast and clean deburring of pipes, threaded rods, screws and much more due to carbide blades

- ▶ Only use low rotational speed
- ▶ Art.-No. 35401 max 500 rpm,
Art.-No. 35402 max 150 rpm,
Art.-No. 35403 max 60 rpm

Ideal for repair of threaded bolts and screws



34 – 54 mm
max 60 rpm

35403



13 – 35 mm
max 150 rpm

35402



3 – 19 mm
max 500 rpm

35401



PROFESSIONAL PLUS STANDARD

Countersink sets



**6
PIECES**


6 countersinks 90° three-edged,
DIN 335 C
Ø 6.3 - 8.3 - 10.4 - 12.4 - 16.5 -
20.5 mm

6 pcs. in sheet steel kit

HSS-Co
35701



PROFESSIONAL PLUS STANDARD



**7
PIECES**




6 countersinks with hexagonal shank
Ø 6.3 - 8.3 - 10.4 - 12.4 - 16.5 - 20.5 mm
1x universal bit holder

7 pcs. in sheet steel kit

HSS-G
35003





PROFESSIONAL PLUS STANDARD

Oscillating multi tools

STARLOCK



- The versatile applicable multi tools are perfectly suitable for work in difficult to access areas
- U-shape saw blades with rounded cutting edges ensure an optimal plunge behaviour and clean precise cutting

- Find the right tool for the working material with the help of the color guide mark
- Quick one handed tool change in only three seconds

Plunge saw blade Wood

U-Shape	663125	6631220	20 PIECES	HCS				WOOD
	5 PIECES							
U-Shape	663135	6631320	20 PIECES	LONG LIFE BIM				
	5 PIECES							

Plunge saw blade Wood and Metal

U-Shape	663145	6631420	20 PIECES	LONG LIFE BIM				WOOD AND METAL
	5 PIECES							
U-Shape	663085	6630820	20 PIECES	LONG LIFE BIM				
	5 PIECES							

Segment saw blade Wood and Metal

	66301	LONG LIFE BIM			
	1 PIECE				

Plunge saw blade Metal

	663055	6630520	20 PIECES	LONG LIFE BIM				METAL
	5 PIECES							

Grout remover

	66318	LONG LIFE PRO TC/HM			
	1 PIECE				

Grout remover 3-in-1

	66309	LONG LIFE PRO TC/HM			
	1 PIECE				

PROFESSIONAL PLUS STANDARD

Sabre saw blades

- ▶ Sabre saw blade with carbide tooling for stainless steel, metal and non-ferrous metals
- ▶ Perfectly suited for SML casting, reinforcement as well as metal reinforced rubber
- ▶ Carbide tooling ensures maximum service life even with high-strength steels
- ▶ Designed to cut even the hardest materials

NEW

PU15080

Cutting length: 130 mm
Teeth/inch: 8
Similar to:
S 957 CHM

64321

**1
PIECE**
PU22880

Cutting length: 205 mm
Teeth/inch: 8
Similar to:
S 1155 CHM

64322

**1
PIECE**

PW24050

Cutting length: 220 mm
Teeth/inch: 4-5
Similar to:
S1531L

64106

**5
PIECES**
Special saw blade for green wood

PM150VBi

Cutting length: 130 mm
Teeth/inch: 10/14
Similar to: S922VF
64252

PM200VBi

Cutting length: 180 mm
Teeth/inch: 10/14
Similar to: S1122VF
64253

PM280VBi


Cutting length: 260 mm
Teeth/inch: 10/14
Similar to: S1222VF
64254


**Special saw blade for
pallet repairs**
**5
PIECES**

6425220

6425320

**20
PIECES**

NEW


64001

Sabre saw blades set


Universal assortment to use in metal, wood and plastics

1x flexible universal saw blade for steel, non-ferrous metals and stainless steel from 2 to 8 mm - cutting length 130 mm

1x saw blade for all types of wood with metal residues from 2.5 mm to 150 mm - cutting length 180 mm

1x saw blade for all types of wood from 6 mm to 250 mm - cutting length 280 mm

**3
PIECES**



PROFESSIONAL PLUS STANDARD

Jigsaw blades



Special saw blade for facade construction




PM15510Bi 63213

Cutting length: 155 mm
Tooth pitch: 1
Similar to: T718AF



High speed and long life in wood



PW9025 63120

Cutting length: 91 mm
Tooth pitch: 2.5
Similar to: T234X



Suitable for stainless steel




PM5512Bi 63211

Cutting length: 55 mm
Tooth pitch: 1.2
Similar to: T118AF



Ideal for clean curved cuts in wood



PW5013C 63126

Cutting length: 50 mm
Tooth pitch: 1.35
Similar to: T101AO



**10
PIECES**

WoodPRO



Jigsaw blade set

Fine, rough, clean, fast and curved cuts in wood and plastics

PW7530 - rough cuts in wood and plastics

PW7540CS - rough curved cuts in wood

PW7540S - rough, fast cuts in wood

PW7540 - clean, fast cuts in wood and plastics

PW7525 - clean cuts in wood and plastics

63001

PROFESSIONAL PLUS STANDARD

Bi-metal hole saw set



- ▶ 8% cobalt alloy Vario toothing
- ▶ For clean, circular and precise holes in stainless steel, non-ferrous metals, sheet metal, steel and aluminum

Vario toothing | HSS-Co 8% | 38 mm cutting depth



**14
PIECES**

Allround Plus

Ø 19 - 22 - 25 - 29 - 32 - 35 - 44 - 51 - 57 - 60 - 68 - 76 mm

including Quick-Lock adapter
14 - 30 mm and 32 - 210 mm

2x HSS center drill and 1x hex key

14 pcs. in high-quality case


68912

PROFESSIONAL PLUS STANDARD

Cylinder drill bit set carbide tipped

33501

- ▶ For clean, exact and splinterfree drilling
- ▶ Drill bits with center point, two cutting edges and raised lips made of carbide (according to DIN 7483 G)
- ▶ Long service life due to high-quality carbide tipped cutters
- ▶ For hardwood, exotic woods, glued and plastic-coated wooden panels, chipboard and veneered woods



Ø 15 - 20 - 25 - 30 - 35 mm

5 pcs. in wooden case

**NEW****5
PIECES**


PROFESSIONAL PLUS STANDARD

Auger drill bit sets

- ▶ With threaded tip for accurate drilling
- ▶ Long tool life because of hardened drill bit head and cutting lip
- ▶ Specific LEWIS-flute for rapid chip removal
- ▶ Hex shank ensures a tight fit in the drill chuck
- ▶ Designed to drill: Soft- and hardwood

Ø 10 - 12 - 14 - 16 - 18 - 20 mm

6 pcs. in wooden case

**6
PIECES**

Cutting length: 230 mm

19501

Cutting length: 320 mm

99979

Cutting length: 460 mm

99930

Cutting length: 600 mm

99978

Image similar


PROFESSIONAL PLUS STANDARD

Router bit set

- | | |
|--------------------------------|------------------|
| A) 45° bevel trim bit | Ø 28.6 mm |
| B) Round over bit | Ø 24.7 + 32.7 mm |
| C) Cove bit | Ø 22.0 + 28.5 mm |
| D) Classical roman ogee cutter | Ø 35.0 mm |
| E) Straight bit | Ø 8.0 + 16.0 mm |
| F) Flush trim bit | Ø 12.7 mm |
| G) Core box bit | Ø 12.0 mm |
| H) Dovetail bit | Ø 14.3 mm |
| I) 60° Singmarking bit | Ø 11.0 mm |

12 pcs. in wooden box

19299



Shank Ø 8.0 mm

**12
PIECES**



PROFESSIONAL PLUS STANDARD

Twist drill bits for wood

- Center point and two shouldered cutting edges ensure pin point center-drilling and precise bore holes
- Suitable for softwood, plywood, chipboards and plastic

ECO

Ø 3 - 10 mm / 1 mm increasing

8 pcs. in plastic case

67040



PROFESSIONAL PLUS STANDARD

Hole saw set – carbide tipped

Ø 19 - 22 - 25 - 32 - 35 - 40 - 44 - 51 - 57 - 64 - 68 - 76 mm

including Quick-Lock adapter 14 - 30 mm and 32 - 210 mm

1x carbide + 2x HSS center drills and hex key


18 pcs. in high quality hard case

60591



PROFESSIONAL PLUS STANDARD

Spirit levels



"Plumb Site Dual View" vertical vial

- Easy frontal reading of the vertical vial, even at narrow spaces
- Robust tool, long life
- Ergonomic working
- Tolerance: 0.5 mm/m

- 1.5 mm profile strength
- Accurate measurement results even with long lengths
- Shock-absorbing end caps prevent damage when falling down

Easy reading in narrow spaces

Spirit level with vertical mirror vial and magnets

- Easy to work with because spirit levels hold magnetically on metallic surfaces



Spirit levels with vertical mirror vial

- Two solid UV-resistant vials, incl. one patented "Plumb Site Dual View" vertical vial



Magnets

Length	Art.-No.	Length	Art.-No.
30 cm	2976-031	30 cm	2976-030
40 cm	2976-041	40 cm	2976-040
60 cm	2976-061	60 cm	2976-060
80 cm	2976-081	80 cm	2976-080
100 cm	2976-101	100 cm	2976-100
		120 cm	2976-120
		150 cm	2976-150
		180 cm	2976-180
		200 cm	2976-200

PROFESSIONAL PLUS STANDARD

Mini spirit level 10 cm

- Shock-absorbing end caps prevent damage when falling down
- Tolerance: 0.5 mm/m



2975-010



Shock-absorbing end caps

PROFESSIONAL PLUS STANDARD

Category tool cases

PROJAHN
PROFICRAFT

- ▶ 2 tool boards with foldable pockets
- ▶ Durable hinges

- ▶ Robust, break-proof and lockable case
- ▶ Content adjusted to all various user needs

W 460 x L 330 x H 145 mm; Weight 10,200 g



**128
PIECES**



**95
PIECES**

ELECTRICIAN



Content

1/4" 6.3
1/2" 12.5

8683

W 460 x L 330 x H 145 mm; Weight 9,060 g



**95
PIECES**



CARPENTER



Content

1/4" 6.3

8684

PROFESSIONAL PLUS STANDARD

Universal tool bags

- ▶ All important screwdrivers and pliers in one set
- ▶ Ideal for caretakers and building technicians
- ▶ High quality manufacturing and materials
- ▶ With handy carrying straps for effortless carrying
- ▶ The soft base material of the portfolio protects high-quality surfaces



**12
PIECES**

All tools
VDE tested



8687



8689



PROFESSIONAL PLUS STANDARD

Toolbox UNIVERSAL

PROJAHN
PROFICRAFT

- Universal tool range
- Clear and well structured arrangement of the tools

- Tight fit of the tools due to high-quality foam inserts
- Ergonomic handling thanks to foam-covered, foldable handles
- Robust and shock-proof metal box

**84
PIECES**

NEW



8688



W 225 x L 490 x H 380 mm; Weight 13,500 g



- High quality tool assortments for universal use
- Clearly arranged tools

- All tools securely fixed
- Robust, break-proof and lockable case

**149
PIECES**

UNIVERSAL



1/4" 6.3
5/16" 8
1/2" 12.5

8681

W 460 x L 330 x H 145 mm; Weight 12,240 g



**164
PIECES**

**UNIVERSAL
COMPACT**



1/4" 6.3
3/8" 10

8682

W 425 x L 280 x H 130 mm; Weight 9,400 g



PROFESSIONAL PLUS STANDARD

Socket sets

1/4" Socket Set

- ▶ 46 tools (metric) in impact-resistant plastic case
- ▶ High quality, ergonomic 1/4" reversible ratchet with rough or fine toothing
- ▶ Sockets 4 - 14 mm

New, attractive design



48-Tooth-Ratchet

8651

72-Tooth-Ratchet

8652



1/4" 6.3

PROJAHN
PROFICRAFT

**46
PIECES**



W 250 x L 160 x H 55 mm; Weight 1,250 g

1/4" + 1/2" Socket Set

- ▶ 108 tools (metric) in impact-resistant plastic case
- ▶ High-quality, ergonomic [1/4"] and [1/2"] reversible ratchets with rough or fine toothing
- ▶ Sockets 4 - 32 mm and E-TX sockets E4 - E22
- ▶ 6.3 [1/4"] bit sockets for all main applications

1/4" 6.3
5/16" 8
1/2" 12.5



Content

**108
PIECES**

Stable -
High quality -
Attractive



48-Tooth-Ratchet

8653

72-Tooth-Ratchet

8654



W 460 x L 335 x H 110 mm; Weight 7,000 g



PROFESSIONAL PLUS STANDARD

Socket Sets

1/4" + 3/8" + 1/2" Socket Set

- ▶ 182 tools in impact-resistant plastic case
- ▶ All important sockets and bits in one set
- ▶ Clear and well structured arrangement of the tools
- ▶ Sockets 4 - 32 mm and E-TX sockets E4 - E24
- ▶ Durable and replaceable clip closures
- ▶ High-quality, ergonomic 6.3 [1/4"], 10 [3/8"] and 12.5 [1/2"] reversible ratchets with fine toothing
- ▶ 6.3 [1/4"] bit sockets for all main applications
- ▶ Sockets made of CrV steel



Content

1/4"	6.3
3/8"	10
1/2"	12.5

PROJAHN
PROFICRAFT

**182
PIECES**



W 460 x L 335 x H 110 mm; Weight 8,500 g

Improved tool
quality

All important sockets and bits
in one set



72-Tooth-Ratchet
8664

1/2" Socket Set

- ▶ With 48-tooth reversible ratchet (Art. No. 8661) or with 72-tooth reversible ratchet (Art. No. 8662)
- ▶ sockets 12.5 [1/2"] 10 - 32 mm
- ▶ Incl. spark plug socket spanner 16 + 21 mm
- ▶ Sockets made of CrV steel
- ▶ Firm and robust handle core increases robustness and durability

1/2" 12.5



Content

**21
PIECES**



W 365 x L 260 x H 95 mm; Weight 3,500 g



48-Tooth-Ratchet
8661
72-Tooth-Ratchet
8662

PROFESSIONAL PLUS STANDARD

Tool case

1/4" + 1/2" Universal tool case

- ▶ Extensive equipment
- ▶ Good-looking and high-quality plastic case
- ▶ Ratchet with ergonomic 2-component handle for secure support and fatigue-free work
- ▶ Combination wrench 8 - 19 mm, hammer, sockets 4 - 24 mm and high-quality bit box
- ▶ Pliers, screwdrivers, hex keys etc. for almost any application

Ideal for caretakers and building technicians

PROJAHN
PROFICRAFT

48-Tooth-Ratchet

8665

72-Tooth-Ratchet

8666



Content

1/4" 6.3
1/2" 12.5



**98
PIECES**

W 460 x L 335 x H 110 mm; Weight 6.000 g

PROFESSIONAL PLUS STANDARD

1/2" Tyre change bundle

- ▶ Mechanical mono-direction torque wrench (clockwise)
- ▶ Torque range: 40 - 200 Nm
- ▶ Audible and tactile automatic short path release
- ▶ Non-slip, ergonomic handle
- ▶ Safety button to lock the adjustment ring
- ▶ Incl. calibration certificate according to DIN EN ISO 6789:2003



4% tolerance

**11
PIECES**

**14
PIECES**

394260-BUNDLE



**3
PIECES**

1/2" 12.5



With quick release button and reversing lever

1 torque wrench TORQUE-PROFI 1/2" 40 - 200 Nm
6 sockets 12.5 [1/2"] 17 - 19 - 21 - 22 - 24 - 27 mm
4 Bit sockets for hexagon socket screws 12.5 [1/2"] 6 - 8 - 10 - 12 mm



PROFESSIONAL PLUS STANDARD

Reversible ratchet

NEW

- ▶ Stable and durable ratchet mechanism in an extremely slim design
- ▶ With robust coarse tothing (48-tooth)
- ▶ Quick release button for a safe connection between ratchet and socket
- ▶ Recessed, flat and therefore protected switch lever for quick change of direction
- ▶ Balanced weight distribution for ideal handling while working
- ▶ Firm and robust handle core increases robustness and durability
- ▶ Practical safety hole allows attachment of a chain as fall protection

3 DIMENSIONS

- Available in 1/4", 3/8" and 1/2" sizes

Extremely stable for high loads

- Soft handle coating minimizes risk of slipping even under higher forces

- Extremely stable shank in square shape made of chrome vanadium steel for highest loads

- Extremely slim design enables use in hard-to-reach spots

1/4" 6.3	3/8" 10	1/2" 12.5
48 tooth 39114948 85 Nm	39138948 270 Nm	39112948 660 Nm

PROFESSIONAL PLUS STANDARD

Universal socket sets

- ▶ Useable as socket wrench insert and screwing tool for hooks, wing nuts, TX-, square drive and eyebolts
- ▶ Multifunctional socket wrench inserts
- ▶ Spring-mounted pins adapt to many external profiles
- ▶ Fits for metric and imperial screw drives
- ▶ Space, time and weight saving alternative to conventional socket wrench sets in mobile use



**3
PIECES**

3062

Also available separately:

Size	Art.-No.
1/4"	101099
3/8"	201099
1/2"	301099

1/4" 6.3	6-14 mm
3/8" 10	9-21 mm
1/2" 12.5	11-32 mm



**3
PIECES**

NEW

3064

Includes:

- 3-pcs. in rolling bag
- 1 universal socket spanner 3/8"
- 1 socket spanner bit adapter
- 1 reversible ratchet 3/8"

3/8" 10	9-21 mm
---------	---------

PROFESSIONAL PLUS STANDARD

1/4" Bit and socket box

- ▶ Practical box of 25 mm bits, socket spanner bits with permanent magnets and screwing-in tools with internal threads for hanger bolts etc.
- ▶ Including 50 mm magnetic bit holder
- ▶ Very good fit and concentricity of the bits
- ▶ Robust and durable plastic box
- ▶ Handy and compact
- ▶ Ideal composition for heating and sanitary installers

3791

1/4" 6.3

NEW



Content



**31
PIECES**

PROFESSIONAL PLUS STANDARD

1/4" Color bit box

- ▶ Compact box with belt clip
- ▶ Colored rings make finding the right bit easy
- ▶ Bits manufactured out of high-grade S2-steel, perfectly suited for the professional user
- ▶ High fitting accuracy and special hardening - Long service and high-quality connection

394089

**32
PIECES**



Content



PROFESSIONAL PLUS STANDARD

1/4" SECURI bit box

- ▶ Extensive bit assortment - always the right bit
- ▶ Includes the most common safety bits
- ▶ Broad range of applications thanks to additional bit screwdriver and socket wrench bit inserts
- ▶ Very good fit and concentricity of the bits

3789



Content



**122
PIECES**

PROFESSIONAL PLUS STANDARD

1/4" Mini socket and bit box

- ▶ 38 pieces in a compact and stable box
- ▶ Easy extraction of the bits due to tilting mechanism
- ▶ SINGLE-HAND click lock for easy opening and closing
- ▶ Colored rings make finding the right bit easy

394072

1/4" 6.3



Content



**38
PIECES**

PROFESSIONAL PLUS STANDARD

1/4" STAR bits

- ▶ PROJAHN **STAR** bits:
- ▶ **Safe** – high break resistance and occupational safety
- ▶ **Torsion** – Ideal for the use with impact wrenches
- ▶ **Anti-slip** – the microrough surface minimizes the Cam-Out-Effect
- ▶ **Resistant** – extreme wear-resistance due to the combination of S2 steel with zirconium nitride coating
- ▶ **STAR** bits perform significantly better than conventional bits in torque transmission, service life, wear-resistance and reduction of the ejecting effect



Anti Cam-Out



Torsion

NEW
Also available in 50 mm

Extreme durable



**10
PIECES**

10-pack with hanger

1/4" 6.3



Type	Length	Art.-No.
PH1	25 mm	1 780 001-10
PH2	25 mm	1 780 002-10
PH3	25 mm	1 780 003-10
PH2	50 mm	1 781 002-10



Type	Length	Art.-No.
PZ1	25 mm	1 780 101-10
PZ2	25 mm	1 780 102-10
PZ3	25 mm	1 780 103-10
PZ2	50 mm	1 781 102-10



Type	Length	Art.-No.
T10	25 mm	1 780 310-10
T15	25 mm	1 780 315-10
T20	25 mm	1 780 320-10
T25	25 mm	1 780 325-10
T30	25 mm	1 780 330-10
T40	25 mm	1 780 340-10
T10	50 mm	1 781 310-10
T15	50 mm	1 781 315-10
T20	50 mm	1 781 320-10
T25	50 mm	1 781 325-10
T30	50 mm	1 781 330-10
T40	50 mm	1 781 340-10

PROFESSIONAL PLUS STANDARD

1/4" SINGLE-HAND Magnetic

- ▶ **SINGLE-HAND** quick release button for quick and easy SINGLE-HAND use
- ▶ For long lifetime and high resistance due to high quality
- ▶ With extra strong magnet - even heavy screws stick to the bit
- ▶ Slim design - ideal for narrow working areas
- ▶ Quick and easy change of the bits

2772 and 2773

with movable

centering sleeve

Length	Art.-No.
65 mm	2771
150 mm	2772
350 mm	2773

2771 - Length: 65 mm



2772 - Length: 150 mm



2773 - Length: 350 mm



1/4" 6.3

Extremely slim design



PROFESSIONAL PLUS STANDARD

Blind rivet tools

Blind rivet pliers

- ▶ PROFI blind rivet pliers for blind rivet processing of the diameters 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm
- ▶ Suitable for all blind rivet materials
- ▶ Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- ▶ Including mouth pieces 2.4 / 3.0 - 3.2 / 4.0 / 4.8 - 5.0 mm



398060

Blind rivet pliers set

- ▶ Handy and practical blind rivet pliers incl. 15 blind rivets for 2.4 / 3.2 / 4.0 / 4.8 mm
- ▶ Blind rivet pliers 398060 and 15 aluminum-blind rivets for diameters 2.4 / 3.2 / 4.0 / 4.8 mm
- ▶ In high-quality and solid metal case




398061




**61
PIECES**

Lever blind rivet pliers

- ▶ Lever rivet pliers for the processing of blind rivets of sizes 3.0 - 6.4 mm
- ▶ Lever arms in high quality steel with ergonomic and non-slipping handles
- ▶ Hardened alloy steel jaws - suitable for all blind rivet materials
- ▶ Lever-arm mechanism for effortless power transmission - easy and gentle processing
- ▶ Removable collecting vessel
- ▶ Including mouth pieces 3.0 - 3.2 / 4.0 / 4.8 - 5.0 / 6.4 mm



398062



Blind rivet adapter

- ▶ PROFI blind rivet adapter for blind rivet processing with cordless screwdrivers and drill machines
- ▶ Very fast and fatigue-free setting of blind rivets
- ▶ High quality and non-slipping metal housing
- ▶ For blind rivet processing of diameters 2.4 - 5.0 mm (398063) or 3.0 - 6.4 mm (398064)
- ▶ Including coloured mouth pieces for fast identification of the right size



2.4 - 5.0 mm

without handle



398063

3.0 - 6.4 mm

with handle



398064



PROFESSIONAL PLUS STANDARD

Blind rivet nut tools

Blind rivet nut pliers set

- ▶ PROFI blind rivet nut pliers for blind rivet nut processing with a diameter of M3 - M6
- ▶ Ergonomic, spring-mounted and highly stable lever arm made of Cr-Mo steel
- ▶ Suitable for all riveting materials
- ▶ Easy changing of the mandrels
- ▶ Incl. mandrels and mouth pieces M3, M4, M5 and M6



Small, ergonomic opening angle



398080

Lever blind rivet nut pliers set

- ▶ PROFI lever blind rivet nut pliers for blind rivet nut processing from M4 - M10
- ▶ Practical set consisting of lever blind rivet nut pliers and 20 aluminum blind rivet nuts for each size
- ▶ Suitable for all riveting materials
- ▶ Including mandrels and mouthpieces



Incl. blind rivets



398081

Blind rivet nut adapter

- ▶ For blind rivet nut processing with cordless screwdrivers and drill machines
- ▶ Compatible to all conventional drill chucks
- ▶ For blind rivet nut processing of the sizes M3 - M6 (398082) as well as M6 - M10 (398083)
- ▶ Suitable for all riveting materials
- ▶ With high-quality and non-slipping metal housing for gentle work
- ▶ Including mandrels and mouthpieces



Very quick and fatigue-free setting
of blind rivet nuts

M3 - M6



398082

M6 - M10



398083

PROFESSIONAL PLUS STANDARD

Hex key set

- ▶ Integrated magnet in ball head (from 3 mm) - screws made of steel adhere to key
- ▶ With ball head - screwing also possible with angular application
- ▶ Non-slip surface for better grip
- ▶ Low wear, high stability and concurrent flexibility due to S2-steel



Stable due to S2 steel

3613

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 -
8 - 10 mm
9 pcs. in clip holder

9
PIECES

PROFESSIONAL PLUS STANDARD

Ball Point Hex key Set, use the holder as a handle

- ▶ Turning handle enables use as T-handle screwdriver
- ▶ With ball head - screwing also possible with angular application
- ▶ High strength with simultaneous flexibility due to S2 steel



3604

2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Extra long version
8-pcs. in twist grip holder

8
PIECES

PROFESSIONAL PLUS STANDARD

Screwdriver set with striking cap

- ▶ With big, solid impact cap - ideal for smaller mortising and chisel works
- ▶ High stability due to persistent blade and impact cap
- ▶ High power transmission due to optimized handle-design on hand



PH 1 - 2
0.8 x 4.5 - 1.0 x 5.5 - 1.2 x 7.0 - 1.2 x 8.0 mm

6
PIECES

VDE screwdriver set

- ▶ Occupational safety for electricians: safety-tested to DIN ISO 60900 up to 1,000 V
- ▶ Optimal power transmission due to optimal adaptation of the multi-component grip to the hand
- ▶ 2K-material: unbreakable, stable core and non-slip coating with high slip resistance



PH 1 - 2
0.4 x 2.5 - 0.8 x 4.0 -
1.0 x 5.5 - 1.2 x 6.5 mm
Voltage tester 230V

5190

7
PIECES

PROFESSIONAL PLUS STANDARD

Tin snips set

- ▶ Tin snips to cut steel sheet, plastic sheet, netting wire, leather, copper and plastic
- ▶ Suitable for steel-, aluminum-, copper- or stainless steel sheet
- ▶ Max. sheet thickness: 1.2 mm for steel and 0.7 mm for stainless steel sheets



3
PIECES


Description	Art.-No.
Tin snip red curved left	4550
Tin snip green curved right	4551

Description	Art.-No.
Tin snip yellow for straight cut	4552
Tin snip for straight cut, long	4553



PROFESSIONAL PLUS STANDARD

Sheet metal nibbler adapter



398054

Maximum sheet metal thickness



1,0 mm Steel
0,8 mm Stainless steel

1/4" 6.3

A tool for left, right
and straight cut



NEW

398053

1/4" 6.3

Maximum sheet metal thickness



0,8 mm Steel
0,6 mm Stainless steel

Adjusting screw for easy
readjusting the cutting edges



PROFESSIONAL PLUS STANDARD

LED Headlamp PJ100S

*Light output: 100 lumens / *Light range: 50 metres

Light source: 1 x 3 Watt CREE® XP-E LED
1x standard LED (white)
2x standard LED (red)
Light duration: approx. 6 hours
Weight: 140 gram
Battery: Incl. batteries (3x AAA)

398230



LED hand-held work lamp

*Light output: 120 lumen / Light angle: 100°

Light source: 4x 0.5 watt SMD-Power-LED
Light duration: approx. 3 hours
Loading time: approx. 4 hours
Dimensions: 60 x 25 x 120 mm
Weight: 150 Gram
Battery: Lithium-ion rechargeable battery
Incl. 110 - 240 V power adapter and car charging cable

398250



Can be used as
a power bank

PROFESSIONAL PLUS STANDARD

Power-LED flashlight PJ500

- ▶ 10 years warranty on LED-function
- ▶ Made of robust, durable and impact-resistant aircraft aluminum
- ▶ Cree® LED technology
- ▶ Continuously dimmable
- ▶ Incl. Batteries

Water and dust proof

Power-LED working lamp PJ-AL250

- ▶ High power LED workshop lamp
- ▶ 10 years warranty on LED-function
- ▶ Additional, frontal LED for illumination of recesses
- ▶ Additional two magnets on the backside
- ▶ Incl. 110-240 V AC adapter
- ▶ Easy to operate with gloves switch
- ▶ Rechargeable

Optimal adjusting due to
integrated magnetic tilt foot



398215

236 mm

500 lumen luminosity*



Details



398252

273 mm

250 lumens luminosity




Details

All values measured according to ANSI FL1-test methods

Equipment Proposals without workshop trolley


1

**171
PIECES**



2

**187
PIECES**




PROForm Inlays

- ▶ PROForm inlays are produced by special, hard-to-break, rubber foam and provide optimal hold and protection for your tools
- ▶ 2-colour-system for easy classification
- ▶ With stable plastic surface and high-quality carbonfinish
- ▶ A perfect fit for all PROJAHN tool trolleys
- ▶ 1/3-inlay (395 x 186 x 35 mm)
- ▶ Three 1/3-inlays fill up a complete drawer




2x Xi-on Inlay
+ bit box 394089




3

**320
PIECES**



Choose your equipment

Descr.	Art.-No.
1 for 3 Drawers	5995-011
2 for 4 Drawers	5995-024
3 for 5 Drawers	5995-141



+ bit box 3789



Roller cabinets with equipment

You can also find everything about roller cabinets, equipment and accessories in the blue PROJAHN catalogue "Hand tools".



1

**171
PIECES**

Equipment for
3 drawers

6501-511

6501-111

2

**187
PIECES**

Equipment for
4 drawers

6501-524

6501-124

3

**320
PIECES**

Equipment for
5 drawers

6501-541

6501-141

SPACE



7901-511

7901-524

7901-541

GALAXY



5501-511

5501-524

5501-541

5501-211

5501-224

5501-241

5501-111

5501-124

5501-141

STAR



4901-511

4901-524

PROFESSIONAL PLUS STANDARD

Roller cabinets Optional electric distributor

- ▶ Modern and dynamic design
- ▶ Four-level safety concept
- ▶ High work safety: only one drawer at a time may be opened to avoid overturning
- ▶ Individual drawer locking prevents unintentional opening
- ▶ Max. stability due to two wheels with 360° full break system
- ▶ Anti-theft protection: central locking system
- ▶ Excellent storage capacity: 7 drawers, 2x 154 mm and 5x 75mm height
- ▶ Outstanding reachability of the tools thanks to 100% fully extendable drawers
- ▶ Ergonomic and stable handle
- ▶ Easy moving due to supersized premium wheels
- ▶ Durable oil and acid-resistant casters

Material: Steel plates, powder-coated
 Material Thickness: 0.9 - 1.0 mm
 Colour(s): blue, red
 H x W x D: 1,020 x 775 x 475 mm
 Max Overall Capacity: 650 kg (static)
 Roll Dimensions: 127 x 50 mm
 Drawers: 7
 Max Capacity per Drawer: 45 kg
 Height Drawers: 2 x 154 mm / 5 x 75 mm



6501-51

6501-11

UNIVERSE



6501-50

6501-10

PROFESSIONAL PLUS STANDARD

- ▶ Robust frame construction and overall capacity up to 450 kg
- ▶ Distinctive, clear lines and high-gloss wheels
- ▶ Expandable with top case available in 3 colours
- ▶ Only-One-Drawer-System: only one drawer at a time may be opened
- ▶ 40 kg drawer load capacity
- ▶ Stable handle, mountable on both sides

Material: sheet steel, powder-coated
 Material thickness: 0.8 mm
 Colours: red/anthracite, blue/anthracite, black/silver
 H x W x D: 980 x 678 x 459 mm
 Total load capacity: 450 kg (static)
 Castor dimensions (Ø x W): 127 x 50 mm
 Load capacity/drawer: 40 kg
 Height of drawers: 2 x 154 / 5 x 75 mm

5501-50

5501-20

5501-10

Allround recommendation

GALAXY



SPACE

- ▶ Huge capacity due to seven drawers and two additional side doors with multiple storage compartments
- ▶ Larger work and shelf space and more room for your tools
- ▶ Only-One-Drawer-System: only one drawer at a time may be opened
- ▶ Very high stability and torsional rigidity due to double wall construction with a static overall load of up to 500 kg

Material: sheet steel, powder-coated
 Material thickness: 0.8 - 0.9 mm
 Colour: blue/anthracite
 H x W x D: 990 x 910 (990 incl. handle) x 475 mm

Total load capacity: 500 kg (static)
 Castor dimensions (Ø x W): 127 x 50 mm
 Load capacity/drawer: 40 kg
 Height of drawers: 2 x 154 / 5 x 75 mm

Storage recommendation



7901-50

PROFESSIONAL PLUS STANDARD

Roller cabinets without equipment

The economic roller cabinet

- ▶ Good quality and high safety
- ▶ Stable ball bearing slides
- ▶ 6 drawers with a load capacity of up to 35 kg
- ▶ Max. overall load capacity of up to 400 kg
- ▶ Only-One-Drawer-System: only one drawer at a time may be opened
- ▶ Wheels with full break system

Price recommendation

4901-50

Material: sheet steel, powder-coated
Material thickness: 0.8 mm
H x W x D: 1,010 x 678 x 459 mm
Total load capacity: 400 kg (static)

Castor dimensions (Ø x W): 127 x 32 mm
Load capacity/drawer: 35 kg
Height of drawers: 3 x 154 / 3 x 75 mm
Inner dim. Drawers (W x D): 560 x 395 mm

STAR




Roller cabinets with 229-piece equipment

STAR



PROJAHN
PROFICRAFT


- ▶ Universal tooling for 3 drawers
- ▶ With 3 stable and high quality 72-tooth fine-tooth ratchets



145
PIECES

4901-591

GALAXY




61
PIECES



Content

1/4"	6.3
5/16"	8
3/8"	10
1/2"	12.5

Incl. impact socket inserts



23
PIECES

- 5501-591
- 5501-291
- 5501-191

PROFESSIONAL PLUS STANDARD

PROFESSIONAL tool cases

PROJAHN
PROFESSIONAL

- Highest level of quality for demanding users
- Precision and durability far beyond DIN/ISO standards
- Ergonomically optimized design - 2-component-handle and clearly structured arrangement of the tools
- Optimized for durability and highest demands
- High-quality, expressive, premium look

- Tools perfectly embedded in foam insert with attractive metallic surface appearance
- PROJAHN promise of Quality – 25 years warranty
- Replacement parts can be easily ordered
- Robust reversible ratchet for all areas of application



**40
PIECES**



W 260 x L 160 x H 60 mm; Weight 1,200 g

1/4" 6.3

3901401



**91
PIECES**



W 400 x L 290 x H 100 mm; Weight 6,700 g

1/4" 6.3
5/16" 8
1/2" 12.5

3904201

3901205



W 460 x L 350 x H 90 mm; Weight 6,900 g

1/2" Universal industrial tool case

- High quality water pump pliers with push button
- Ergonomic pliers handles for gentle work
- PROJAHN ratchet handles, reversible 1/2"
- 11 Sockets 8 – 27 mm and two spark plug sockets 16 + 21 mm
- High-quality, expressive, premium look
- 31 pieces bit box 1/4"
- 8 double open end wrenches 6 – 22 mm
- 300 g machinist's hammer with handle protection, pliers and screwdrivers

**65
PIECES**

1/4" 6.3
1/2" 12.5



Your PROJAHN Retailer

PROJAHN Promotion valid at all participating dealers from September 1st 2021 until February 28th 2022 or rather revocation or publication of a new promotion leaflet.

113

Performance specifications, features, pictures, lists, dimensions and weight of products may change in the course of technical development and, due to adaptations to our customers' needs, without any obligation or prior notice. There is no obligation to change earlier deliveries accordingly. We are entitled to remove items from our product range. The offers in this promotion leaflet are not combinable with others. Sales only through specialized trade dealers. Errors and omissions as well as colour variations are subject to change. On account of limited stock some articles may already be sold out.

© 2021 PROJAHN Präzisionswerkzeuge GmbH, Germany

302109PROM_UKOP